sale@technobearing.ru

TECHNOBEARING.RU

8 (800) 700-72-02

ROD ENDS AND SPHERICAL PLAIN BEARINGS FOR MOTOR SPORT



Introduction

The *FLURO*[®] production program consists of Rod Ends to DIN ISO 12240 - 4 and Spherical Plain Bearings to DIN ISO 12240 - 1, Series K and E. Stainless steel, maintenance free and versions with lubrication fittings are available. Where bearings with standard dimensions cannot be used, parts to customer designs are manufactured.

Since many years the *FLURO®* products have achieved a reputation of high quality and durability. Therefore the demand within the industrial application market continuously increased. Market observation and customer requests initiated the development and design of a Motor Sport product.

Technical research and continuous product development enabled FLURO[®] to establish a product version exclusively designed for motor sport applications.

On the following pages Rod Ends and Spherical Plain Bearings are introduced, which have already proven itself in Motor Sport applications.



Recently our industrial plant was enlarged and modernized. This means advanced improvements to our logistics and an enlarged stock of products for faster production and delivery response.





2

Contents

General Introduction Contents Production Program, Applications	Technical Data	2 3 4 5
Technical Data Technical Information Temperature/Material Fit, Installation		6 7 8
Specials Precision Parts Martin	Höhn GmbH	9
Motor Sport Rod En GIXSWMS GAXSWMS	ds Series K MS-Version, female thread, Maintenance Free MS-Version, male thread, Maintenance Free	10 11
Motor Sport Spheric GXSWMS GXOWMS	al Plain Bearings Series K MS-Version, smaller outside diameter, Maintenance Free MS-Version, larger outside diameter, Maintenance Free	12 13
Motor Sport Spheric GEEC-NIRO MS	al Plain Bearings Series E MS-Version, Maintenance Free, Stainless Steel	14
Spherical Plain Bear GXOICR(RR)	ings Series K Extra heavy duty, larger outside diameter, Steel on Steel, regreasable Stainless Steel	15
Locking Nuts Locking Nuts to DIN 9	34/439	16
Rubber Seals Seals RERS/RELS		17
Stainless Steel Bushi Bushing KRC	ing to increase tilting angel	18
Specialties		19



Motor Sport Catalogue Edition 2015

Every care has been taken to ensure the accuracy of the information in this catalogue.

However no liability can be accepted for any errors or omissions.

Due to continuing technical advances we reserve the right to alter our products without notice.





TECHNOBEARING.RU

Production Program - Technical Data



Characteristics of MS - Series:

Preloaded bearing fit

An internal play with 'zero' tolerance is achieved through a preloaded bearing. Under normal permissible conditions and usage a minimal settlement of the bearing components or a minimal tolerance increase at the mating surface will take place. This special bearing technology causes a considerably higher bearing life with continuous low internal clearance. However MS-Spherical Plain Bearings are not suited for rotation as well as very high swivel frequency.

Please note that the series GXO..ICR(RR) is not a preloaded bearing version, but the clearance is reduced to a minimal fit.

Surface

The nickel plated housing surface with a high polish finish achieves a sporty appealing design, especially on visible components. This high-quality surface treatment with high corrosion resistance minimizes the sedimentation of dirt and is easy to clean.

Lubrication

Maintenance Free Rod Ends and Spherical Plain Bearings must not be lubricated. The ball revolves on a PTFE liner incorporated in the Insert.

The Motor Sport steel on steel version should be lubricated with the FLURO[®] high performance grease FE 3752. This grease can be ordered from FLURO[®].

Examination:

Upon customer requirements the parts can be checked against cracks.



Applications

The Motor Sport application has its own demand on product and technique. The required task is to create a product which combines high performance and an appealing sporty design. Animated through customers and in close contact with technicians and university development teams FLURO[®] developed this MS series. For the below mentioned applications the technical geometric design in connection with the performance of the bearing becomes important. A special emphasis has to be laid on the bearing's composition of inner ring, insert, mating surface and housing.

A classic application for Rod Ends is the suspension system. Related to it are different load problems such as vibrations and shocks under radial or axial loads. This dynamic stress demands a technically high quality bearing.





Depending on the race course and the driving performance of the driver, different loads can occur on the steering system.

In addition racing vehicles require a sporty design and appearance. The nickel plated housing with a high polish finish offers a professional racing look and is easy to clean from dirt and grease.

For motor cycles Rod Ends and Spherical Plain Bearings are used as stabilizers, for rod linkages and steering devices.





Technical Information

Bearing Load ratings

Bearing Load ratings are bearing specific data, derived from the characteristics of the materials used. They are used when selecting Spherical Plain Bearings or Rod Ends for a particular load, but may have to be reduced in adverse operating conditions.

Static Load ratings Co [kN]

 C_o indicates the maximum permissible static load which a Rod End at its weakest cross section can withstand without developing permanent distortion. The C_o values listed in the tables of this brochure have been calculated by using the appropriate material specifications and have been tested on a number of Rod Ends during tensile tests carried out at ambient temperature. 80% of the yield strength resulting from the tests have been used so that a safety factor of 1.25 is included.

The static load C_o is also used for establishing the maximum axial load which is limited by an additional bending stress principally due to the method of fastening of the insert. Following are maximum axial values (deformation) which have been established by pressure testing:

(1)
$$F_a = F_{a, zul} = a \cdot C_o$$
 [kN]

- $a = \lesssim 0,4 \text{ GXO MS}$
- $a = \lesssim 0.2$ für GXSW, GXOW MS mounted in a FLURO[®] Rod End housing
- $a = \lesssim 0,1$ für GE...EC-NIRO MS

For Spherical Plain Bearings C_o indicates the radial load, which does not deform the mating surface permanently. Precondition is the stable configuration of the housing.

Dynamic Load ratings C [kN]

This rating is used to establish the working life of Spherical Plain Bearings or Rod Ends when under dynamic load conditions. That is to say when they oscillate, rotate or pivot under load. The values listed in the table result from multiplying the maximum surface pressure p_{max} admissible in gliding movements by the projected bearing surface. A_{proj} , whereby a specific load rating is established for each type of Rod End. The established standard values for maximum surface load for various combinations of anti friction material have been listed in table 1 which allows for movement when oscillating.

Information: Depending on the material strength of the Rod End housing (eg. pages 10 and 11) the static load might be lower than the dynamic load.

p _{zul}	St/St soft	St/St hard	St/TBz
[N/mm ²]	50	100	150

Table 1: Maximum surface pressure

Abbreviations: St = Steel TBz = Woven Bronze Fabric

Ball diameter for Rod Ends and Spherical Plain Bearings

Sei	ries K	Series E					
Size	Ø dk	Size	Ø dk				
6	12,70	10	16,0				
8	15,87	12	18,0				
10	19,05	15	22,0				
12	22,22	25,0					
14	25,40	20	29,0				
16	28,57	25	35,5				
18	31,75	30	40,7				
20	34,92						
22	38,10						
25	42,86						
30	50,80						

Torque:

Because the bearing has 'no play', the internal clearance (torque) of the MS parts can be only defined by the force with which the ball can be moved.

Requirements:

The force (torque) with which the ball can be moved is measured in Ndm (Newton per decimetre). Herewith a bolt with one decimetre length is inserted into the ball's bore and the force to move the ball is measured with a spring balance. To neutralise the slip stick effect before measuring, the ball has to be moved at least five times the maximum possible distance. Because the 'breakaway torque' will be three times higher than the real torque value.

The torque rating on the rod ends data sheet in this catalogue, is the load during operating process (after a short period of warm-up time).

The torque rating on the spherical plain bearings data sheet in this catalogue refers to the ex factory condition and can increase after being mounted.



Temperature / Material

Due to the use of special materials, FLURO[®] is able to design high performance bearings, which can operate within a temperature range of minus 50° to plus 720° Celsius / minus 58° to plus 1328° Fahrenheit. This high performance bearing can be used in the area of turbo chargers or exhaust return mechanisms.

In the area of very aggressive substances such as sand, salt and dust these bearings are highly recommended. They are also very resistant against vibration.

Temperature range for FLURO[®] rod ends

Mating surface	Temperature in Celsius	Temperature in Fahrenheit					
Steel/Steel/PTFE-liner	–150° to +250°	–238° to +482°					
Steel/Steel	– 50° to +200°	– 58° to +392°					

Temperature range for FLURO® spherical plain bearings

Mating surface	Temperature Celsius	Temperature in Fahrenheit
Steel/Steel/PTFE-liner	–150° to +250°	-238° to + 482°
Steel/Steel	– 50° to +200°	– 58° to + 392°
CF1/CF1 Special*	- 50° to +420°	– 58° to + 788°
CF2/CF2 Special*	- 50° to +720°	– 58° to +1328°

* on request

Material Conversion Table

Material	DIN German	France	Italy	Sweden	UK	USA
1.0402	C22	XC25	C21	1450	070M20	M1023
1.0503	C45	1C45	C45	1650	080M46	Aisi 1045
2.1030	CuSn8					
2.0561	CuZn40AI1					
1.3505	100Cr6	100Cr6	100Cr6	2258	2S135	Aisi 52100
1.7225	42CrMo4	42CrMo4	42CrMo4	2244	708M40	Aisi 4140
1.0718	9SMnPb28K	S250Pb	CF9SMnPb28	1912	230M07	12L13
1.4006	X10Cr13	Z10C13	X12Cn13	2302	410C21	Aisi 410
1.4034	X46Cr13	Z44C14	X40Cr14		420S45	Aisi 420C
1.4057	X20CrNi172	Z15CN16-02	X16CrNi16	2321	431S29	Aisi 431
1.4112	X90CrMoV18					Aisi 440B
1.4125	X105CrMo17	Z100CD17				Aisi 440C
1.4301	X5CrNi1810	Z4CN19-10FF	X5CrNi1810	2332	304S17	Aisi 304
1.4305	X10CrNiS189	Z8CNF18-09	X10CrNiS1809	2346	303S22	Aisi 303
1.4401	X5CrNiMo17122	Z7CND17-12-02	X5CrNiMo1712	2347	316S17	Aisi 316
1.4542	X5CrNiCuNb174	Z7CNU15-05		. <u> </u>		Aisi 630 (174Ph)
1.4571	X6CrNiMoTi17-12-2	Z6CNDT17-12	X6CrNiMoTi1712	2350	320S18	Aisi 316Ti

FLURO-Gelenklager GmbH

Fit, Installation

Recommended fits for the bore housings to incorporate Spherical Plain Bearings

Design	Steel Housing Series K (MS)	Light Alloy Housing Series K (MS)	Steel Series E (MS)	Light Alloy Housing Series E (MS)		
maintenance free	M7	N7	M7	N7		
regreasable	K7	M7	M7	N7		

The outside diameter of the Spherical Plain Bearings, Series K (MS) is tolerated to h6. For Series E, please refer to each individual product page.

Recommended fit for the shaft

Load	Series K (MS)	Series E (MS)	
normal	h6	g6	The bore diameter of the ball of Spherical
high	k6	j6/h6	Plain Bearings, Series K is tolerated to H7. For Series E (MS) please refer to each product page.

Installation instructions:

Attention: No tolerance or play can be allowed for the shaft when incorporated in the Ball or the Outer Ring when incorporated in a housing. Through this it is guaranteed that the glide movement arises on the nodular gliding surface only.

When mounting extra precaution has to be taken that the press force does not damage the bearing. The press force should not be initiated via the bearing itself. Thermal installation will reduce the necessary press force.

Axial locking of Spherical Plain Bearings:

When under high static or dynamic axial load, vibration, impacting load changes or high pivoting angles Spherical Plain Bearings have to be locked axially.

Possible locking methods:

- locking through several puncher points
- caulking of bearing on the housing through a flanging groove
- with locking snap rings
- clamped with bushings on the facing surface of the Insert

Pivoting Angle:



 $\alpha = \sin^{-1}\frac{B}{\Delta} - \sin^{-1}\frac{M}{\Delta}$

Situation 2



Situation 3

M = Width Rod End/Spherical Plain Bearing

D = diameter Bore Ball



A = Outside diameter Rod End/Spherical Plain Bearing

B = Width Ball

dK = diameter Ball

FLURO-Gelenklager GmbH

 $\alpha = \sin^{-1} \frac{\mathsf{B}}{\mathsf{d}\mathsf{K}} - \sin^{-1} \frac{\mathsf{M}}{\mathsf{d}\mathsf{K}}$

Precision Parts

Martin Höhn GmbH

Höhn Precision Parts - this name represents quality production. Thirty years of experience guarantee the companies reliable capability. The continuously modernized machine park enables a flexible and economic production of turned and machined parts.

Variety for Höhn does mean that besides the turning, machining and grinding of parts, also complete components and assemblies are manufactured.

In agreement with the TÜV Southwest, Höhn received stamp authorization for continued re-stamping of material specification 3.1.B. since 1981. Höhn achieved also the DIN EN ISO 9001:2000 certification.

5-axial symmetric machining (3-D measuring machine) This connecting rod with bearing for carriages shows a constructive solution through the close cooperation between Höhn and FLURO[®].

Production of all sorts of shafts, Ø 20 to Ø 120 x 1000 mm length. Surface finish according to customer requirements.

Höhn processes all sorts of steel e.g.: Titan, Hasteloy, 17-4Ph, non-iron and non-ferrous heavy metal. Though constant stock of stainless steel material such as 1.4104, Aisi 430F, 1.4301, Aisi 304, 1.4305, Aisi 303, 1.4571, Aisi 316Ti, 1.4541, Aisi 321 a prompt delivery response is guaranteed.

Machining of the rod from \emptyset 10 to \emptyset 80 mm, chucking parts from \emptyset 10 to \emptyset 300 mm.

FLURO-Gelenklager GmbH

TECHNOBEARING.RU

8 (800) 700-72-02

Rod Ends Motor Sport Maintenance Free

Series GIXSW...MS

Rod Ends with female thread made from heattreated steel, nickel plated with PTFE-liner, maintenance free. Preloaded bearing

For use at highest dynamic pressure and tension loads in corrosive environments



Description	DH7	в	м	Α	F	L	к	J	0	sw	G	GL	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	α	weight g
GIXSW 6 MS	6	9	6,75	20	30	40	13	10,0	8,9	11	M 6x1	12	16,7	9,8	4-10	13°	27
GIXSW 8 MS	8	12	9,00	24	36	48	16	12,5	10,4	13	M 8x1,25	16	25,5	20,0	4-12	14°	46
GIXSW 10x1,25 MS	10	14	10,50	28	43	57	19	15,0	12,9	17	M 10x1,25	20	34,8	28,1	6-16	13°	76
GIXSW 10 MS	10	14	10,50	28	43	57	19	15,0	12,9	17	M 10x1,5	20	34,8	28,1	6-16	13°	76
GIXSW 12x1,25 MS	12	16	12,00	32	50	66	22	17,5	15,4	19	M 12x1,25	22	42,0	38,4	10-22	13°	115
GIXSW 12 MS	12	16	12,00	32	50	66	22	17,5	15,4	19	M 12x1,75	22	42,0	38,4	10-22	13°	115
GIXSW 14 MS	14	19	13,50	36	57	75	25	20,0	16,8	22	M 14x2	25	57,0	50,5	12-24	16°	170
GIXSW 14x1,5 MS	14	19	13,50	36	57	75	25	20,0	16,8	22	M 14x1,5	25	57,0	50,5	12-24	16°	170
GIXSW 16 MS	16	21	15,00	42	64	85	27	22,0	19,3	22	M 16x2	28	67,5	63,0	14-28	15°	230
GIXSW 16x1,5 MS	16	21	15,00	42	64	85	27	22,0	19,3	22	M 16x1,5	28	67,5	63,0	14-28	15°	230
GIXSW 18 MS	18	23	16,50	46	71	94	31	25,0	21,8	27	M 18x1,5	32	81,5	76,5	18-32	15°	320
GIXSW 20 MS	20	25	18,00	50	77	102	34	27,5	24,3	32	M 20x1,5	33	93,5	93,5	20-34	14°	415

Materials:

Housing:	Heat-treated steel to 42CrMo4, Aisi 4140, forged, nickel plated with high polish finish.
Insert:	Stainless steel to 1.4571, Aisi 316Ti with PTFE liner bonded to the inner surface
Ball:	Bearing steel to 100Cr6, Aisi 52100, hardened, ground, polished, hard chrome plated on the running surface
Clearance:	preloaded, zero tolerance
On request:	 with left hand thread Rod End with reduced bore (D) with threaded bolt

- further sizes are available



Rod Ends Motor Sport Maintenance Free

Series GAXSW..MS

Rod Ends with male thread made from heattreated steel, nickel plated with PTFE-liner, maintenance free. Preloaded bearing

For use at highest dynamic pressure and tension loads in corrosive environments





Description	DH7	в	м	А	F	L	0	G	GL	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	α	weight g
GAXSW 6 MS	6	9	6,75	20	36	46	8,9	M 6x1	21	9,8	9,8	4-10	13°	20
GAXSW 8 MS	8	12	9,00	24	42	54	10,4	M 8 x1,25	25	19,5	19,5	4-12	14°	33
GAXSW 8x1 MS	8	12	9,00	24	42	54	10,4	M 8 x1	25	19,5	19,5	4-12	14°	33
GAXSW 10 MS	10	14	10,50	28	48	62	12,9	M 10x1,5	28	31,4	28,1	6-16	13°	56
GAXSW 10x1,25 MS	10	14	10,50	28	48	62	12,9	M 10x1,25	28	31,4	28,1	6-16	13°	56
GAXSW 10x1 MS	10	14	10,50	28	48	62	12,9	M 10x1	28	31,4	28,1	6-16	13°	56
GAXSW 12 MS	12	16	12,00	32	54	70	15,4	M 12x1,75	32	42,0	38,4	10-22	13°	87
GAXSW 12x1,5 MS	12	16	12,00	32	54	70	15,4	M 12x1,5	32	42,0	38,4	10-22	13°	87
GAXSW 12x1,25 MS	12	16	12,00	32	54	70	15,4	M 12x1,25	32	42,0	38,4	10-22	13°	87
GAXSW 14 MS	14	19	13,50	36	60	78	16,8	M 14x2	38	57,0	50,5	12-24	16°	129
GAXSW 14x1,5 MS	14	19	13,50	36	60	78	16,8	M 14x1,5	38	57,0	50,5	12-24	16°	129
GAXSW 16 MS	16	21	15,00	42	66	87	19,3	M 16x2	40	67,0	63,0	14-28	15°	189
GAXSW 16x1,5 MS	16	21	15,00	42	66	87	19,3	M 16x1,5	40	67,0	63,0	14-28	15°	189
GAXSW 18 MS	18	23	16,50	46	72	95	21,8	M 18x1,5	44	81,5	76,5	18-32	15°	267
GAXSW 20 MS	20	25	18,00	50	78	103	24,3	M 20x1,5	47	93,5	93,5	20-34	14°	348
GAXSW 25 MS	25	31	22,00	60	94	124	29,6	M 24x2	58	135,0	135,0	34-52	15°	600

Rod Ends with reduced bore:

Description	DH7	В	м	Α	F	L	0	G	GL	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	a ¹⁾	weight g
GAXSW 10.8 MS	8	14	10,50	28	48	62	12,9	M 10x1,5	28	31,4	28,1	6-16	13°	56
GAXSW 12.10 MS	10	16	12,00	32	54	70	15,4	M 12x1,75	32	42,0	38,4	10-22	13°	87
GAXSW 14.12 MS	12	19	13,50	36	60	78	16,8	M 14x2	38	57,0	50,5	12-24	16°	129
GAXSW 16.14 MS	14	21	15,00	42	66	87	19,3	M 16x2	40	67,0	63,0	14-28	15°	189
GAXSW 18.16 MS	16	23	16,50	46	72	95	21,8	M 18x1,5	44	81,5	76,5	18-32	15°	267

Materials:

Housing:	Heat-treated steel to 42CrMo4, Aisi 4140, forged, polished, nickel plated with high polish finish
Insert:	Stainless steel to 1.4571, Aisi 316Ti with PTFE liner bonded to the inner surface
Ball:	Bearing steel to 100Cr6, Aisi 52100, hardened, ground, polished, hard chrome plated on the running surface
Clearanee	preleaded zero televence

Clearance: preloaded, zero tolerance

On request: with left hand thread, threaded bolt and further sizes are available

¹⁾ The reduced bore diameter offers to the engineer the possibility to construct a bearing with a very high pivoting angle, especially when a minimal shaft collar is used (in some cases twice as high as standard listing).



TECHNOBEARING.RU

Spherical Plain Bearings Motor Sport Maintenance Free

Series GXSW..MS Spherical Plain Bearings with smaller outside Ø, maintenance free. Preloaded bearing For use at highest dynamic pressure and tension loads in corrosive environments

Description	DH7	В	м	A h6	ο	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	α	weight g
GXSW 8.19 MS	8	12	9,00	19	10,4	27,8	20,8	1-10	14°	17
GXSW 10.22 MS	10	14	10,50	22	12,9	39,0	28,1	2-14	13°	26
GXSW 12.26 MS	12	16	12,00	26	15,4	53,5	38,4	6-18	13°	41
GXSW 14.29 MS	14	19	13,50	29	16,8	70,0	50,5	6-20	16°	56
GXSW 16.32 MS	16	21	15,00	32	19,3	88,0	63,0	8-22	15°	75
GXSW 18.35 MS	18	23	16,50	35	21,8	106,5	76,5	8-22	15°	97
GXSW 20.40 MS	20	25	18,00	40	24,3	130,0	93,5	8-25	14°	142

Materials:

Insert:	Stainless steel to 1.4571, Aisi 316Ti with PTFE liner bonded to the inner surface
Ball:	Bearing steel to 100Cr6, Aisi 52100, hardened, ground, polished, hard chrome plated on the running surface
Clearance:	preloaded, zero tolerance
On request:	 Ball made from stainless steel to 1.4034, Aisi 420C, hardened, ground, polished with V-Groove on both sides with threaded bolt

V-Groove and caulking tool for mounting can be ordered from Fluro[®].







- X1////



sale@technobearing.ru

12

Spherical Plain Bearings Motor Sport Maintenance Free

Series GXOW..MS

Spherical Plain Bearings with larger outside Ø, Insert from extra heavyduty steel, zinc plated with PTFE-liner, maintenance free. Preloaded bearing



For use at highest dynamic pressure and tension loads

Description	DH7	В	М	A h6	ο	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	α	weight g
GXOW 8.22 MS	8	12	9,00	22	10,4	27,8	20,8	4-12	14°	23
GXOW 10.26 MS	10	14	10,50	26	12,9	39,0	28,1	6-16	13°	38
GXOW 12.30 MS	12	16	12,00	30	15,4	53,5	38,4	10-22	13°	58
GXOW 14.34 MS	14	19	13,50	34	16,8	70,0	50,5	12-24	16°	83
GXOW 16.38 MS	16	21	15,00	38	19,3	88,0	63,0	14-28	15°	115
GXOW 18.42 MS	18	23	16,50	42	21,8	106,5	76,5	18-32	15°	150
GXOW 20.46 MS	20	25	18,00	46	24,3	130,0	93,5	20-34	14°	200

Materials:

Insert:	Extra heavy-duty steel to 45S20, zinc plated
Ball:	Bearing steel to 100Cr6, Aisi 52100, hardened, ground, polished, hard chrome plated on the running surface
Clearance:	preloaded, zero tolerance
On request:	- with threaded bolt - with V-Groove on both sides

V-Groove and caulking tool for mounting can be ordered from Fluro[®].







()	
77778	11////



TECHNOBEARING.RU

Spherical Plain Bearings Motor Sport-Stainless, Maintenance Free

Series GE..EC-NIRO MS

Spherical Plain Bearings, narrow series made from stainless steel running on PTFE, maintenance free. Preloaded Bearing

For use at dynamic pressure and tension loads in corrosive environments and limited fitting dimensions



Materials:

Insert:

Stainless steel to 1.4571, Aisi 316Ti, with PTFE liner bonded to the inner surface

Ball:

Stainless steel to 1.4125, Aisi 440C, hardened, ground, polished

Clearance:

preloaded, zero tolerance

Description	D	В	М	А	0	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	α	weight g
GE 10 EC-NIRO MS	10 _{-0,008}	9	6	19 _{-0,009}	13,2	23,4	10,0	4-14	12°	11
GE 12 EC-NIRO MS	12 _{-0,008}	10	7	22 _{-0,009}	14,9	32,0	14,0	8-18	11°	16
GE 15 EC-NIRO MS	15 _{-0,008}	12	9	26 _{-0,009}	18,4	50,0	30,0	10-20	11°	26
GE 17 EC-NIRO MS	17 _{-0,008}	14	10	30 _{-0,009}	20,7	65,0	39,0	12-22	10°	38
GE 20 EC-NIRO MS	20 _{-0,010}	16	12	35 _{-0,011}	24,2	90,5	54,0	18-28	9°	61

Series GE...FW-NIRO-MS

Spherical Plain Bearings, narrow series made from stainless steel running on PTFE, maintenance free. Preloaded Bearing

For use at dynamic pressure and tension loads in corrosive environments and limited fitting dimensions



Materials:

Insert:

Stainless steel to 1.4571, Aisi 316Ti, with PTFE liner bonded to the inner surface

Ball:

Stainless steel to 1.4125, Aisi 440C, hardened, ground, polished

Clearance: preloaded, zero tolerance

Description	D	В	М	А	ο	static radial load C₀ kN	dynamic radial load C₀ kN	torque N/dm	α	weight g
GE 12 FW-NIRO MS	12 _{-0,008}	15	9	26 _{-0,009}	14,9	50,0	30,0	8-18	18°	16
GE 15 FW-NIRO MS	15 _{-0,008}	16	10	30 _{-0,009}	18,4	65,0	39,0	10-20	16°	26
GE 17 FW-NIRO MS	17 ⁰ -0,008	20	12	35 _{-0,011}	20,7	90,5	54,0	12-22	19°	38
GE 20 FW-NIRO MS	20 .0,010	25	16	42 _0,011	24,2	159,0	96,0	18-28	17°	61

FLURO-Gelenklager GmbH

Spherical Plain Bearings Extra Heavy Duty Steel on Steel, Stainless



Description	DH7	В	М	A h6	ο	static radial load C₀ kN	dynamic radial load C₀ kN	Internal Clearance µm	α	weight g
GXO 8.22 ICR	8	12	9,00	22	10,4	60,7	7,1	5-20	1 4°	23
GXO 10.26 ICR	10	14	10,50	26	12,9	85,2	9,9	5-20	13°	38
GXO 12.30 ICR	12	16	12,00	30	15,4	113,5	13,0	5-25	13°	58
GXO 14.34 ICR	14	19	13,50	34	16,8	146,0	17,0	5-25	16°	83
GXO 16.38 ICR	16	21	15,00	38	19,3	182,5	21,0	5-25	15°	115
GXO 18.42 ICR	18	23	16,50	42	21,8	224,0	26,0	5-25	15°	150
GXO 20.46 ICR	20	25	18,00	46	24,3	268,0	31,0	5-30	14°	200

Materials:

Insert: Ball: Extra heavy-duty steel to 45S20, zinc plated

Bearing steel to 100Cr6, Aisi 52100, hardened, ground, polished, hard chrome plated on the running surface

Description	DH7	В	М	A h6	ο	static radial load C₀ kN	dynamic radial load C₀ kN	Internal Clearance µm	α	weight g
GXO 8.22 RR	8	12	9,00	22	10,4	30,4	3,5	5-20	1 4°	23
GXO 10.26 RR	10	14	10,50	26	12,9	42,6	4,9	5-20	13°	38
GXO 12.30 RR	12	16	12,00	30	15,4	57,0	6,5	5-25	13°	58
GXO 14.34 RR	14	19	13,50	34	16,8	73,0	8,5	5-25	16°	83
GXO 16.38 RR	16	21	15,00	38	19,3	91,0	10,5	5-25	15°	115
GXO 18.42 RR	18	23	16,50	42	21,8	112,0	13,0	5-25	15°	150
GXO 20.46 RR	20	25	18,00	46	24,3	134,0	15,5	5-30	14°	200

Materials:

Insert:	Stainless steel to 1.4571, Aisi 316Ti
Ball:	Stainless steel to 1.4034, Aisi 420C, hardened, ground, polished

These high performance bearings are a steel on steel design without PTFE liner. This spherical plain bearing has a reduced internal clearance and is not pre-loaded. Internal clearance: the radial internal clearance is the value with which the ball can be moved in radial direction from one cutoff point to the opposite.

Both series are also available with threaded bolt.



sale@technobearing.ru

TECHNOBEARING.RU

Locking Nuts to DIN 934 / 439



Nominal	Standard	sw	Thread Pitch M									ISO 4032/DIN934		ISO 4036/DIN439				
Size	Thread Pitch		x0,4	x0,5	x0,7	x0,8	x1,0	x1,25	x1,5	x1,75	x2,0	x2,5	x3,0	x4,0	m₁	Weight g	m ₂	Weight g
M 3	(M 3x0,5)	5,5		Х											2,4	0,4	1,8	0,3
M 4	(M 4x0,7)	7,0			Х										3,2	0,8	2,2	0,6
M 5	(M 5x0,8)	8,0				Х									4,0	1,2	2,7	0,8
M 6	(M 6x1)	10,0					Х								5,0	2,4	3,2	1,5
M 8	(M 8x1,25)	13,0					Х	Х							6,5	5,1	4,0	3,1
M 10	(M10x1,5)	17,0					Х	Х	Х						8,0	11,1	5,0	6,9
M 12	(M 12x1,75)	19,0						Х	Х	Х					10,0	16,3	6,0	9,8
M 14	(M 14x2)	22,0									Х				11,0	24,0	7,0	15,0
M 16	(M 16x2)	24,0							Х		Х				13,0	32,0	8,0	19,5
M 18	(M 18x2,5)	27,0							Х						15,0	47,0	9,0	28,0
M 20	(M 20x2,5)	30,0							Х			Х			16,0	61,0	10,0	38,0
M 22	(M22x2,5)	32,0							Х						18,0	75,0	11,0	46,0
M 24	(M 24x3)	36,0									Х				19,0	104,0	12,0	66,0
M 27	(M 27x3)	41,0									Х				22,0	158,0	13,5	96,0
M 30	(M 30x3,5)	46,0									Х				24,0	219,0	15,0	137,0
M 36	(M 36x4)	55,0									Х		Х		29,0	370,0	18,0	230,0
M 39	(M 39x4)	60,0											Х		31,0	470,0	19,5	300,0
M 42	(M 42x4,5)	65,0									Х		Х		34,0	610,0	21,0	380,0
M 45	(M 45x4,5	70,0											Х		36,0	750,0	22,5	470,0
M 48	(M 48x5)	75,0									Х				38,0	910,0	24,0	580,0
M 52	(M 52x5)	80,0											Х		42,0	1130,0	26,0	700,0
M 56	(M 56x5,5)	85,0												Х	45,0	1350,0	28,0	840,0
M 64	(M 64x6)	95,0												Х	51,0	1850,0	32,0	1160,0

X) available ex stock, Standard Form only with standard thread in stock

Materials:	Steel zinc plated, strength grade: 04 or better A2 is equivalent to stainless steel 1.4301, Aisi 304 and 1.4303, Aisi 305 or alternative material
Thread:	Right hand or left hand threads
Remarks:	Across-flats dimension SW, Weight, Width m1/m2 and Chamfer can differ from the table above and the DIN, because of different manufacturing methods Locking Nuts DIN 439 according to ISO 4036 (without chamfer) or ISO 4035 (with chamfer). Locking Nuts DIN 439 Fine Thread according to ISO 8675 (with chamfer).
Ordering	e.g. Locking Nut M 10 Left Hand (Normal Form with standard thread) in stainless steel A2:
Details:	Locking Nut DIN 934-M10-A2-Left Hand e.g. Locking Nut M 39x3 Right Hand (Narrow Form) in Steel, zinc plated: Locking Nut DIN 439-M39x3-04

FLURO-Gelenklager GmbH

16

Rubber Seals

RERS

Rubber Protector Caps made from Neoprene

Protects against dust, chemical substances and aggressive environment. Resistant to oil, grease, saltwater, chemical components and other substances. Temperature range from -20° till +120° Celsius or -4° till +248° Fahrenheit.

The Steel/Steel version can be completely filled with grease. Mounted easily with Seeger retaining pliers

* Spacers separately on request

RELS

Washer Seals Rubber Seals vulcanized to stainless steel washer rings

Prevents dirt entering the mating surface. Easily mounted. Temperature resistant up to +110° Celsius or +230° Fahrenheit



Rod End Size	Rubber Protector Cap Type	Spacers Type*	D	D1	В	М	Α
6	RERS 1	DR 6	6	8,7	6	4	11
8	RERS 1	DR 8	8	10,3	6	4	12
10	RERS 2	DR 10	10	12,5	6	4	14
12	RERS 2	DR 12	12	15,0	8	6	17
14	RERS 3	DR 14	14	16,8	8	6	19
16	RERS 3	DR 16	16	19,0	8	6	21
18	RERS 3	DR 18	18	21,8	8	6	25
20	RERS 4	DR 20	20	24,3	10	8	28
22	RERS 4	DR 22	22	25,7	10	8	29
25	RERS 4	DR 25	25	29,7	10	8	33



Rod End / Spherical Plain Bearing size	Washer Seal Type	D	D1	В	М	M1	А
5	RELS 5	5,25	8,3	2,4	0,50	0,8	11,2
6	RELS 6	6,25	9,5	3,1	0,69	0,9	12,7
8	RELS 8	8,25	12,4	5,1	1,20	1,4	17,8
10	RELS 10	10,25	13,5	5,6	1,20	1,4	20,3
12	RELS 12	12,25	18,5	6,4	1,20	1,7	28,6
14	RELS 14	14,25	18,5	6,4	1,20	1,7	28,6
16	RELS 16	16,25	22,4	6,8	1,20	1,7	31,7
18	RELS 18	18,25	22,6	8,3	1,20	1,7	32,7
20	RELS 20	20,25	25,2	10,2	1,20	1,7	38,1
25	RELS 25	25,25	33,8	12,7	1,50	2,3	53,3
30	RELS 30	30,25	55,9	14,0	1,50	2,3	56,7

FLURO-Gelenklager GmbH

sale@technobearing.ru

Stainless Steel Bushing to increase tilting angle

Bushing KRC..

Bushing in stainless steel to increase tilting angle capability, by reducing the bore size of standard size rod end



Size (D)	D1	D2H7	D3	D4	L	L1	Dk	Tilting Angle α
10	10 ¹⁾	8 ²⁾	8,1	13,5	11,5	6,5	19,00	23
12	121)	10 ²⁾	10,1	16,0	14,5	7,5	22,20	23
14	1 4 ¹⁾	10 ²⁾	10,1	17,5	14,0	9,0	25,35	22
16	16 ¹⁾	12 ²⁾	12,1	20,0	15,0	10,0	28,50	21
18	181)	1 4 ²⁾	14,1	22,5	19,0	11,0	31,70	22
20	201)	16 ²⁾	16,1	25,0	20,0	12,0	34,90	21

Material:

Stainless steel to 1.4057, Aisi 431

Order description:

e.g.: **KRC016** for Rod Ends bore size 16 mm (reduces the bore from 16 mm to 12 mm)

¹⁾ Fit for receiving bore H7

²⁾ Bore tolerance when mounted H7



18

TECHNOBEARING.RU

Custom-Made Products





sale@technobearing.ru

FLURO-Gelenklager GmbH

sale@technobearing.ru

TECHNOBEARING.RU



Rosenfeld is situated between the city of Stuttgart and the lake Bodensee, in southern Germany. You can get to us easily from the international airport of Stuttgart by car. Drive Highway A81 south (towards Singen), exit at Oberndorf and follow the road to Rosenfeld. Our company's plant is situated in the midst of an industrial area on the right hand side behind the town's entrance. We invite you to pay a visit at our manufacturing plant to see our capability.

FLURO - Gelenklager GmbH Siemensstrasse 13 D-72348 Rosenfeld Phone +49 (0) 74 28 93 85-0 Fax +49 (0) 74 28 93 85-25 Internet: www.fluro.de E-Mail: info@fluro.de





